Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 33

NUMBER 6

FEBRUARY 8, 1918

WASHINGTON
GOVERNMENT PRINTING OFFICE
1918

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT

5 CENTS PER COPY

SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

The quality of antipneumococcic and antimeningococcic serums 163
Effect of freezing on the organisms of typhoid fever and diphtheria 163

PREVALENCE OF DISEASE.

United States:
Extra-contonment zones—Cases reported week ended February 5 167
Current State summaries—
Alabama 168
California 169
Connecticut 169
Indiana 169
Kansas 169
Louisiana 170
Massachusetts 170
Minnesota 170
Nebraska 170
South Carolina 170
Virginia 170
Washington 170
Reciprocal notification—
California 171
Cerebrospinal meningitis—
Kansas—McLouth 171
State reports for December, 1917 172
City reports for week ended January 19, 1918 172
Erysipelas—
City reports for week ended January 19, 1918 173
Leprosy—
Mississippi—Long Beach 173
Malaria—
State reports for December, 1917 173
City reports for week ended January 19, 1918 174
Pellagra—
State reports for December, 1917 174
City reports for week ended January 19, 1918 175
Plague:
California—Contra Costa County—Plague-infected squirrels found 175
Pneumonia—
City reports for week ended January 19, 1918 175
Poliomyelitis (infantile paralysis)—
State reports for December, 1917 176
City reports for week ended January 19, 1918 176
Rabies in animals—
City report for week ended January 19, 1918 176

United States—Continued.
Smallpox—
Page.
Hawaii—Honolulu quarantine 176
Texas—Eagle Pass—Virulent smallpox 176
West Virginia 176
California report for December, 1917 177
Miscellaneous State reports 177
City reports for week ended January 19,1918 178
Tetanus—
City reports for week ended January 19, 1918 179
Typhoid fever—
State reports for December, 1917 179
City reports for week ended January 19, 1918 180
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for December, 1917 181
City reports for week ended January 19, 1918 181
Foreign:
Cuba—
Communicable diseases—Habana 185
Senegal—
Plague—St. Louis 185
Cholera, plague, smallpox, and typhus fever—
Reports received during week ended February 8, 1918—
Cholera 185
Plague 186
Smallpox 186
Typhus fever 186
Reports received from December 29, 1917, to February 1, 1918—
Cholera 187
Plague 187
Smallpox 188
Typhus fever 189